

Section 1**Chemical Product and Company Identification**

Product Name: Nova Color Artists' Acrylic Paints – Containing Trace Chemicals
(See list Section 16)

Product Code: Not applicable Chemical Family: Not applicable

Chemical Name: Not applicable Formula: Not applicable

Manufacturer:

Artex Mfg Co. dba Nova Color Artists' Acrylic Paint

5894 Blackwelder Street, Culver City, CA 90232 Telephone 310 204-6900 Fax 310 838-2094

Section 2**Composition, Information on Ingredients**

Ingredient Listing:	CAS No.	OSHA PEL:	ACGIH TLV:	STEL:	% COMP:
Proprietary	N/L	N/L	N/L	N/L	100

The ingredients in this product are judged to be non-hazardous and are regarded as trade secrets.

Section 3**Hazards Identification**

Emergency Overview: Non-hazardous material.

Physical Description: Water-based acrylic paints.

Major Health Hazards: None known for usual and ordinary uses.

Physical Hazards: None known for usual and ordinary uses.

Routes of Entry: Inhalation: No Skin: No Eye: No Ingestion: No

Potential Health Effects: None known for usual and ordinary uses.

Inhalation: Short Term Exposure: Not applicable

Long Term Exposure: Not applicable

Skin Contact: Short Term Exposure: Not applicable

Long Term Exposure: Not applicable

Eye Contact: Short Term Exposure: Not applicable

Long Term Exposure: Not applicable

Ingestion: Short Term Exposure: Not applicable

Long Term Exposure: Not applicable

Carcinogen Status: NTP: Not listed IARC: Not listed OSHA: Not listed

Medical Conditions Aggravated by Exposure: None known.

Section 4**First Aid Measures**

Eyes: For eye contact, carefully flush for 15 minutes. If irritation occurs, contact a physician.

Skin: Wash with soap and water.

Inhalation: Not likely to occur; seek fresh air.

Ingestion: Drink water or milk to dilute. Do not induce vomiting.

Section 5**Fire Fighting Measures**

Flash Point: None.

Fire and Explosion Hazards: Sealed containers may rupture; paint films may burn. This product presents no unusual hazard.

Extinguishing Media: Water, foam, carbon dioxide or dry chemicals.

Special Fire Fighting Procedures: Not required for this material.

Section 6**Accidental Release Measures**

Spill or Leak Procedures: Contain spill. Recover as much as possible by mechanical means. Absorb remainder with an inert material. Place into closed container and store in a safe location to await disposal. Wash the spill area with soap and water.

Section 7**Handling and Storage**

Storage Temperature: Store at 70 deg. F. (Min: 50 deg. F; Max: 100 deg. F)

Shelf Life: Not known. Special Sensitivity: None likely or known.

Handling and Storage: Use under ventilated conditions. For personal protection, wash thoroughly after handling product. Wash hands before eating, smoking or using toilet facilities.

Precautions: Avoid eye and skin contact. Keep container closed when not being used.

Section 8

Exposure Limits:

Eye Protection:

Skin Protection:

Respiratory and Ventilation:

Exposure Controls, Personal Protection

None known.

Wear splash goggles where spill or splashing may occur.

Not required.

Wear approved NIOSH respirator if exposure to mist or vapors exceeds applicable PEL/TLV limits. Use in accordance with manufacturer's use limitations and OSHA regulations.

Section 9

Physical Form:

Odor:

Melting Point:

PH:

Specific Gravity:

% Volatile by Weight:

Vapor Density:

Physical and Chemical Properties

Viscous liquid

Color:

Various colors

Acrylic

Boiling Point:

212 deg. F

Not applicable

Freezing Point:

32 deg. F

Not applicable

Solubility in Water:

Miscible

1.15 - 1.30

Bulk Density:

Not applicable

Not applicable

Vapor Pressure:

Equivalent to water

Equivalent to water

Section 10

Stability:

Incompatibilities:

Conditions to Avoid:

Stability and Reactivity

Stable.

Polymerization:

No.

Avoid strong oxidizing agents.

Decomposition Products:

None known.

Not applicable.

Section 11

Health Effects:

Inhalation:

Skin Contact:

Eye Contact:

Ingestion:

Toxicological Information

Heated decomposition products may cause eye and respiratory irritation.

Not likely.

Prolonged liquid contact with skin may cause irritation or redness.

Prolonged liquid contact with eyes may cause irritation or redness.

No effects known in usual and ordinary uses of product.

Section 12**Ecological Information**

No ecological issues likely.

Section 13

Waste Disposal Method:

Disposal Considerations

Dispose of all waste materials in accordance with all applicable federal, state and local regulations for the disposal of aqueous wastes. Do not flush liquid into public sewer or water systems.

Section 14

D.O.T. Shipping Name:

Technical Shipping Name:

D.O.T. Hazard Class:

U.N./N.A. Number:

Product RQ (Lbs.):

D.O.T. label:

D.O.T. Placard:

Transportation Information

Paints or stains 149980 Sub. 2

Not known

Non-hazardous

None

None

Freight Class Bulk:

55

None

Freight Class Package:

Not known

None

Product Label:

Not known

Section 15

OSHA Status:

TSCA Status:

CERCLA Reportable Quantity:

Regulatory Information

Not applicable

Not applicable

Not applicable

SARA Title III: Not applicable
Section 302 Extremely Hazardous Substances: Not applicable
Section 311/312 Hazard Categories: Not applicable
Section 313 Toxic Chemicals: Not applicable
RCRA Status: Not applicable
State Regulatory Information: (The State of California exempts businesses with fewer than 10 employees from Prop. 65 labeling requirements). **WARNING!** This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Component Name & CAS Number:

Ethyl Acrylate, lead, arsenic Concentration: Trace State Code: California

FHSA Status: Conforms to FHSA

16 CFR 1500.14

ASTM D-4236 Status: Conforms to ASTM D-4236

Section 16**Other Information**

Reason for issue: Initial document
Prepared by: Environmental Medicine Incorporated
Approved by: Rudolph J Jaeger, PhD, DABT, REA
Title: President and Principal Scientist
Approval date: 12/31/04
Supersedes date: Not applicable
MSDS Summary of Changes: Not applicable

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Artex Manufacturing Co. The data on this sheet are related only to the specific material designated herein. Artex Manufacturing Co. assumes no legal responsibility for use or reliance upon these data.

List of colors with product numbers included in this group:

104 Chromium Oxide Green
117 Raw Umber
168 Turquoise Pearl