

**Section 1**

**Chemical Product and Company Identification**

Product Name: Nova Color Artists' Gels (See list Section 16)  
Product Code: Not applicable      Chemical Family: Not applicable  
Chemical Name: Not applicable      Formula: Not applicable  
Manufacturer:

**Artex Mfg Co. dba Nova Color Artists' Acrylic Paint**  
**5894 Blackwelder Street, Culver City, CA 90232 Telephone 310 204-6900 Fax 310 838-2094**

**Section 2**

**Composition, Information on Ingredients**

Ingredient Listing:	CAS No.:	OSHA PEL:	ACGIH TLV:	STEL:	% COMP:
Proprietary	N/L	N/L	N/L	N/L	100

The ingredients in this product are judged to be non-hazardous and are regarded as trade secrets.

**Section 3**

**Hazards Identification**

Emergency Overview: Non-hazardous material.  
Physical Description: Water-based acrylic paints.  
Major Health Hazards: None known for usual and ordinary uses.  
Physical Hazards: None known for usual and ordinary uses.  
Routes of Entry: Inhalation: No      Skin: No      Eye: No      Ingestion: No  
Potential Health Effects: None known for usual and ordinary uses.  
Inhalation: Short Term Exposure: Not applicable  
Long Term Exposure: Not applicable  
Skin Contact: Short Term Exposure: Not applicable  
Long Term Exposure: Not applicable  
Eye Contact: Short Term Exposure: Not applicable  
Long Term Exposure: Not applicable  
Ingestion: Short Term Exposure: Not applicable  
Long Term Exposure: Not applicable  
Carcinogen Status: NTP: Not listed      IARC: Not listed      OSHA: Not listed  
Medical Conditions Aggravated by Exposure: None known.

**Section 4**

**First Aid Measures**

Eyes: For eye contact, carefully flush for 15 minutes. If irritation occurs, contact a physician.  
Skin: Wash with soap and water.  
Inhalation: Not likely to occur; seek fresh air.  
Ingestion: Drink water or milk to dilute. Do not induce vomiting.

**Section 5**

**Fire Fighting Measures**

Flash Point: None.  
Fire and Explosion Hazards: Sealed containers may rupture; paint films may burn. This product presents no unusual hazard.  
Extinguishing Media: Water, foam, carbon dioxide or dry chemicals.  
Special Fire Fighting Procedures: Not required for this material.

**Section 6**

**Accidental Release Measures**

Spill or Leak Procedures: Contain spill. Recover as much as possible by mechanical means. Absorb remainder with an inert material. Place into closed container and store in a safe location to await disposal. Wash the spill area with soap and water.

**Section 7**

**Handling and Storage**

Storage Temperature: Store at 70 deg. F. (Min: 50 deg. F; Max: 100 deg. F)  
Shelf Life: Not known.      Special Sensitivity: None likely or known.

Handling and Storage: Use under ventilated conditions. For personal protection, wash thoroughly after handling product. Wash hands before eating, smoking or using toilet facilities.

Precautions: Avoid eye and skin contact. Keep container closed when not being used.

### **Section 8**

Exposure Limits:

Eye Protection:

Skin Protection:

Respiratory and Ventilation:

### **Exposure Controls, Personal Protection**

None known.

Wear splash goggles where spill or splashing may occur.

Not required.

Wear approved NIOSH respirator if exposure to mist or vapors exceeds applicable PEL/TLV limits. Use in accordance with manufacturer's use limitations and OSHA regulations.

### **Section 9**

Physical Form:

Odor:

Melting Point:

PH:

Specific Gravity:

% Volatile by Weight:

Vapor Density:

### **Physical and Chemical Properties**

Viscous Paste

Color:

Milky

Acrylic

Boiling Point:

212 deg. F

Not applicable

Freezing Point:

32 deg. F

Not applicable

Solubility in Water:

Miscible

0.85 – 1.10

Bulk Density:

Not applicable

Not applicable

Vapor Pressure:

Equivalent to water

Equivalent to water

### **Section 10**

Stability:

Incompatibilities:

Conditions to Avoid:

### **Stability and Reactivity**

Stable.

Polymerization:

No.

Avoid strong oxidizing agents.

Decomposition Products:

None known.

Not applicable.

### **Section 11**

Health Effects:

Inhalation:

Skin Contact:

Eye Contact:

Ingestion:

### **Toxicological Information**

Heated decomposition products may cause eye and respiratory irritation.

Not likely.

Prolonged liquid contact with skin may cause irritation or redness.

Prolonged liquid contact with eyes may cause irritation or redness.

No effects known in usual and ordinary uses of product.

### **Section 12**

### **Ecological Information**

No ecological issues likely.

### **Section 13**

Waste Disposal Method:

### **Disposal Considerations**

Dispose of all waste materials in accordance with all applicable federal, state and local regulations for the disposal of aqueous wastes. Do not flush liquid into public sewer or water systems.

### **Section 14**

D.O.T. Shipping Name:

Technical Shipping Name:

D.O.T. Hazard Class:

U.N./N.A. Number:

Product RQ (Lbs.):

D.O.T. label:

D.O.T. Placard:

### **Transportation Information**

Paints or stains 149980 Sub. 2

Not known

Non-hazardous

None

None

Freight Class Bulk:

55

None

Freight Class Package:

Not known

None

Product Label:

Not known

### **Section 15**

OSHA Status:

TSCA Status:

CERCLA Reportable Quantity:

### **Regulatory Information**

Not applicable

Not applicable

Not applicable

SARA Title III: Not applicable  
Section 302 Extremely Hazardous Substances: Not applicable  
Section 311/312 Hazard Categories: Not applicable  
Section 313 Toxic Chemicals: Not applicable  
RCRA Status: Not applicable  
State Regulatory Information: Not applicable  
Component Name  
& CAS Number: Not applicable Concentration: Not applicable State Code: Not applicable  
FHSA Status: Conforms to FHSA  
16 CFR 1500.14 ASTM D-4236 Status: Conforms to ASTM D-4236

**Section 16**                      **Other Information**  
Reason for issue: Initial document  
Prepared by: Environmental Medicine Incorporated  
Approved by: Rudolph J Jaeger, PhD, DABT, REA  
Title: President and Principal Scientist  
Approval date: 12/31/04  
Supersedes date: Not applicable  
MSDS Summary of Changes: Not applicable

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Artex Manufacturing Co. The data on this sheet are related only to the specific material designated herein. Artex Manufacturing Co. assumes no legal responsibility for use or reliance upon these data.

**List of colors with product numbers included in this group:**

207      Nova Gloss Gel  
208      Matte Gel  
209      Super Gel  
213      Flex Gel  
250      Coarse Lava Gel  
251      Lightweight Texture Paste  
301      Stiff Satin Gel