

1. Identification of the Preparation and of The Company

Product Name and/or code: Nova Color Artists' Acrylic Paints: Colors Containing Cadmium
 Effective Date: 12/4/2013
 Manufacturer: Artex Manufacturing Company
 5894 Blackwelder St.
 Culver City, CA USA 90232
 Emergency Contact: 310-204-6900
 Telephone: 310-204-6900
 Fax: 310-838-3077 or 310-838-2094
 Product Use: Arts & Crafts Materials

Item No.	Product	Item No.	Product
102	Cadmium Yellow Medium	132	Cadmium Red Deep
123	Cadmium Yellow Light	145	Cadmium Red Light
124	Cadmium Orange	146	Cadmium Orange Deep
125	Cadmium Red Medium		

2. Hazards Identification

Classification of the Product: Preparation is classified as hazardous in directive 1999/45/EC.
 Regulation (EC) No. 1272/2008 Not classified as dangerous for supply/use.
 Directive 67/548/EEC & Directive 1999/45/EC Not classified as dangerous for supply/use.

Label Elements

Precaution Statement: DO NOT SPRAY APPLY. Avoid eye and skin contact. Keep container closed when not being used.
 First Aid Statement: None
 Children's Statement: None
 Other Hazards: None

3. Composition/Information on Ingredients:

Substances:

Ingredient Listing	CAS No.	OSHA PEL	ACGIH TLV	STEL	%Comp
Cadmium Compounds	Mixture	0.005mg/m ³	0.01mg/m ³	Not listed	<15.00%
Non-Hazardous Ingredients	Mixture	Not listed	Not listed	Not listed	<90.00%

EC Classification No. 1272/2008

Hazardous	% W/W	REACH Registration	Hazard Statement(s)
Cadmium Compounds	15.00%	-	H302: Harmful if swallowed. H341: Suspected of causing genetic effects. H350: May cause cancer. H361: Suspected of damaging fertility or the unborn child. H372: Causes damage to organs through prolonged or repeated exposure.

4. First Aid Measures

General	In all cases where exposure occurs, or when symptoms and signs occur, seek medical attention. Never give anything by mouth to an unconscious person. If found unconscious, place person on side to open airway and seek medical attention.
Inhalation	Not likely to occur. Remove to fresh air. If breathing difficulty occurs or discomfort occurs and persists, seek medical attention.
Skin Contact	Wash immediately with soap and water. Rinse thoroughly.
Eye Contact	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.
Ingestion	Drink water or milk to dilute. Get medical attention. Never give fluids if a person is unconscious or is having convulsions. If swallowed, do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

5. Firefighting Measures

Extinguishing Media	Water, foam, carbon dioxide or dry chemical.
Fire/Explosion Hazards	Sealed containers may rupture; paint films may burn. This product presents no unusual hazard.
Additional Information	None required.

6. Accidental Release Measures

Personal Precautions	Use under ventilated conditions. Use personal protective equipment. Refer to section 8.
Methods and Materials for Containment and Clean-up	Contain spill. Recover as much as possible by mechanical means. Absorb remainder with an inert material. Place into closed container and store in a safe location to await disposal. Wash the spill area with soap and water.

7. Handling and Storage

Safe Handling	General hygiene measures for the handling of chemicals are applicable. Eating, drinking, smoking, as well as food storage, is prohibited in the work room. Avoid unnecessary contact.
Storage	Store in dry place, away from excessive heat, in original or similar container. Keep container closed when not being used.

8. Exposure Controls/Personal Protection

Personal Protective Equipment

Eyes and Face	Wear protective eye-goggles to avoid contact with eyes.
Protective clothing	No special clothing is required.

Respiratory and Ventilation Wear approved NIOSH respirator if exposure to mist or vapors exceeds applicable PEL/TLV limits. The applicable limits for nuisance dusts are ACGIH TLV 10 mg/m³ (total dust), 3 mg/m³ (respirable fraction), OSHA PEL 15 mg/m³ (total dust), 5 mg/m³ (respirable fraction).

Use in accordance with manufacturer's use limitations and OSHA Regulations.

9. Physical and Chemical Properties

Physical Description	Water-based acrylic paints.
Appearance	Viscous liquid; yellows, oranges, and reds.
Odor	Acrylic
Boiling Point	212 F
Melting Point	N/A
Freezing Point	32 F
State (pH)	N/A
Flashpoint	None
Solubility in water	Miscible
Specific Gravity	1.39-1.45
Bulk Density	N/A
% Volatile by Weight	N/A
Vapor Pressure	Equivalent to water
Vapor Density	Equivalent to water

10. Stability and Reactivity

Chemical Stability	Stable under normal conditions.
Polymerization	No
Incompatible Materials	Avoid strong oxidizing agents.
Conditions to avoid	None
Thermal Decomposition	No thermal decomposition occurs when stored and handled properly.

Hazardous Decomposition None known

11. Toxicological Information

Health Effects	Heated decomposition products may cause eye and respiratory irritation.
Eye Effects	May cause irritation or redness.
Skin Effects	Prolonged liquid contact with skin may cause irritation or redness.
Sensitization	None likely to occur
Inhalation	Not likely.
Ingestion	No effects known in usual and ordinary uses of product.

Carcinogenicity:

NTP	Known to be human carcinogen.
IARC	1- Group 1: Carcinogenic to humans.
OSHA	Listed

12. Ecological Information

It is not expected to have significant environmental effects. No significant effects on aquatic organisms are expected.

13. Disposal Considerations

Dispose of all waste materials in accordance with all applicable federal, state and local regulations for the disposal of aqueous wastes. Do not flush liquid into public sewer or water systems.

14. Transport Information

DOT Shipping Name: Paints or stains 149980 Sub. 2
D.O.T. Hazard Class: Non-hazardous
U.N./N.A. Number: None
Product RQ (LBS): None
D.O.T. Label: None
D.O.T. Placard: None
Freight Class Bulk: 55
Freight Class Package: Not known
Product Label: Not known
IMDG: Non-hazardous
IATA/ICAO: Non-hazardous

15. Regulatory Information

OSHA Status: Hazardous product per 29 CFR 1910.1200. Occupational exposure to cadmium compounds regulated under 29 CFR 1910.1027.

TSCA Status: Listed

CERCLA Reportable Quantity: None

SARA Title III: Not applicable.

Section 302: Not an extremely hazardous substance.

Extremely Hazardous

Substances:

Section 311/312: Cadmium Compounds- see section 2

Hazard Categories:

Section 313 Toxic Chemicals: Cadmium Compounds- see Section 2 - Subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

RCRA Status: Not applicable.

California Proposition 65: This product contains a chemical, Cadmium, which is known to the State of California to cause cancer and developmental harm (male) .

16. Other Information

Reason for Issue: GHS SDS

Original Preparation Date: 12/30/2004

Revision Date: 12/4/2013

Prepared by: Rudolph J. Jaeger, Ph.D., DABT, ERT (UK)
Chief Toxicologist and President
ENVIRONMENTAL MEDICINE, INC.
263 CENTER AVENUE
WESTWOOD, NJ 07675
jaegerr@envmed.com
201-666-7929 x13

The information contained in this Safety Data Sheet was compiled using the latest and most reliable information available to Artex Manufacturing Company. The information is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Artex Manufacturing Company assumes no liability for any loss or damage arising out of the use of this information, without limitation, including direct or indirect losses or expenses. It is the sole responsibility of the user to determine safe conditions for use of this product and to assume any and all liability for any loss, damage or expense whatsoever arising out of the use of the product.