

1. Identification of the Preparation and of The Company

Product Name and/or code: Nova Color Artists' Acrylic Paints: Fluorescent Colors
Effective Date: 12/4/2013
Manufacturer: Artex Manufacturing Company
5894 Blackwelder St.
Culver City, CA USA 90232
Emergency Contact: 310-204-6900
Telephone: 310-204-6900
Fax: 310-838-3077 or 310-838-2094
Product Use: Arts & Crafts Materials
Colors:

| Item No. | Product | Item No. | Product |
|----------|----------------------------|----------|--------------------|
| 190 | Fluorescent Magenta | 195 | Fluorescent Orange |
| 191 | Fluorescent Pink | 197 | Fluorescent Yellow |
| 192 | Fluorescent Purple | 198 | Fluorescent Green |
| 193 | Fluorescent Red | 199 | Fluorescent Blue |
| 194 | Fluorescent Invisible Blue | | |

2. Hazards Identification

Classification of the Product: Preparation is not classified as hazardous in directive 1999/45/EC.

Regulation (EC) No. 1272/2008 Not classified as dangerous for supply/use.

Directive 67/548/EEC & Directive 1999/45/EC Not classified as dangerous for supply/use.

Label Elements

Precaution Statement: Avoid eye and skin contact. Keep container closed when not being used.

First Aid Statement: None

Children's Statement: None

Other Hazards: None

3. Composition/Information on Ingredients:

Substances:

| Ingredient Listing | CAS No. | OSHA PEL | ACGIH TLV STEL | %Comp |
|--------------------|------------|------------|-----------------------|-------|
| Proprietary | Not listed | Not listed | Not listed Not listed | 100 |

4. First Aid Measures

General In all cases where exposure occurs, or when symptoms and signs occur, seek medical attention. Never give anything by mouth to an unconscious person. If found unconscious, place person on side to open airway and seek medical attention.

Inhalation Not likely to occur. Remove to fresh air. If breathing difficulty occurs or discomfort occurs and persists, seek medical attention.

Skin Contact Wash immediately with soap and water. Rinse thoroughly.

Eye Contact Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

Ingestion Drink water or milk to dilute. Get medical attention. Never give fluids if a person is unconscious or is having convulsions. If swallowed, do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

5. Firefighting Measures

Extinguishing Media Water, foam, carbon dioxide or dry chemical.
 Fire/Explosion Hazards Sealed containers may rupture; paint films may burn. This product presents no unusual hazard.
 Additional Information None required.

6. Accidental Release Measures

Personal Precautions Use under ventilated conditions. Use personal protective equipment. Refer to section 8.
 Methods and Materials for Containment and Clean-up Contain spill. Recover as much as possible by mechanical means. Absorb remainder with an inert material. Place into closed container and store in a safe location to await disposal. Wash the spill area with soap and water.

7. Handling and Storage

Safe Handling General hygiene measures for the handling of chemicals are applicable. Eating, drinking, smoking, as well as food storage, is prohibited in the work room. Avoid unnecessary contact.
 Storage Store in dry place, away from excessive heat, in original or similar container. Keep container closed when not being used.

8. Exposure Controls/Personal Protection

Personal Protective Equipment
 Eyes and Face Wear protective eye-goggles to avoid contact with eyes.
 Protective clothing No special clothing is required.
 Respiratory and Ventilation Wear approved NIOSH respirator if exposure to mist or vapors exceeds applicable PEL/TLV limits. The applicable limits for nuisance dusts are ACGIH TLV 10 mg/m³ (total dust), 3 mg/m³ (respirable fraction), OSHA PEL 15 mg/m³ (total dust), 5 mg/m³ (respirable fraction).
 Use in accordance with manufacturer's use limitations and OSHA Regulations.

9. Physical and Chemical Properties

Physical Description Water-based acrylic paints with fluorescent pigments.
 Appearance Viscous liquid. A variety of colors.
 Odor Acrylic
 Boiling Point 212 F
 Melting Point Not
 Applicable
 Freezing Point 32 F
 State (pH) Not Applicable
 Flashpoint None
 Solubility in water Miscible

| | |
|----------------------|---------------------|
| Specific Gravity | 1.07 - 1.11 |
| Bulk Density | Not Applicable |
| % Volatile by Weight | Not Applicable |
| Vapor Pressure | Equivalent to water |
| Vapor Density | Equivalent to water |

10. Stability and Reactivity

| | |
|-------------------------|---|
| Chemical Stability | Stable under normal conditions. |
| Polymerization | No |
| Incompatible Materials | Avoid strong oxidizing agents. |
| Conditions to avoid | None |
| Thermal Decomposition | No thermal decomposition occurs when stored and handled properly. |
| Hazardous Decomposition | None known |

11. Toxicological Information

| | |
|-------------------------|---|
| Health Effects | Heated decomposition products may cause eye and respiratory irritation. |
| Eye Effects | May cause irritation or redness. |
| Skin Effects | Prolonged liquid contact with skin may cause irritation or redness. |
| Sensitization | None likely to occur |
| Inhalation | Not likely. |
| Ingestion | No effects known in usual and ordinary uses of product. |
| <u>Carcinogenicity:</u> | |
| NTP | Not listed |
| IARC | Not listed |
| OSHA | Not listed |

12. Ecological Information

No significant environmental effects are expected. No significant effects on aquatic organisms are expected.

13. Disposal Considerations

Dispose of all waste materials in accordance with all applicable federal, state and local regulations for the disposal of aqueous wastes. Do not flush liquid into public sewer or water systems.

14. Transport Information

| | |
|------------------------|--------------------------------|
| DOT Shipping Name: | Paints or stains 149980 Sub. 2 |
| D.O.T. Hazard Class: | Non-hazardous |
| U.N./N.A. Number: | Not known |
| Product RQ (LBS): | Not known |
| D.O.T. Label: | Not known |
| D.O.T. Placard: | Not known |
| Freight Class Bulk: | 55 |
| Freight Class Package: | Not known |
| Product Label: | Not known |
| IMDG: | Non-hazardous |
| IATA/ICAO: | Non-hazardous |

15. Regulatory Information

| | |
|--------------|----------------|
| OSHA Status: | Not Applicable |
| TSCA Status: | Not Applicable |

CERCLA Reportable Quantity Not Applicable

SARA Title III: Not Applicable

Section 302 Not Applicable

Extremely Hazardous

Substances:

Section 311/312 Not Applicable

Hazard Categories:

Section 313 Not Applicable

Toxic Chemicals:

RCRA Status: Not Applicable

California Proposition 65: This product contains trace levels of Formaldehyde (gas), a chemical which is known to the State of California to cause cancer. (Trace level.)

16. Other Information

Reason for Issue: GHS SDS
Original Preparation Date: 12/30/2004
Revision Date: 12/4/2013
Prepared by: Rudolph J. Jaeger, Ph.D., DABT, ERT (UK)
Chief Toxicologist and President
ENVIRONMENTAL MEDICINE, INC.
263 CENTER AVENUE
WESTWOOD, NJ 07675
jaegerr@envmed.com
201-666-7929 x13

The information contained in this Safety Data Sheet was compiled using the latest and most reliable information available to Artex Manufacturing Company. The information is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Artex Manufacturing Company assumes no liability for any loss or damage arising out of the use of this information, without limitation, including direct or indirect losses or expenses. It is the sole responsibility of the user to determine safe conditions for use of this product and to assume any and all liability for any loss, damage or expense whatsoever arising out of the use of the product.